



Short Tandem Repeat

Requestor: Aine Russell, Boston University
Samples Received: 03Mar21
STR Amplification Date: 04Mar21

Form SOP-89.01
Version 3.0

Sample Name	BR-SP-41-1 p15
Label on tube	85083
FGA	23, 25
TPOX	11, 11
D8S1179	12, 15
vWA	17, 17
Amelogenin	X, Y
Penta_D	11, 13
CSF1PO	11, 11
D16S539	9, 12
D7S820	11, 12
D13S317	11, 12
D5S818	12, 13
Penta_E	12, 13
D18S51	13, 19
D21S11	30, 34.2
TH01	7, 8
D3S1358	15, 16
Allelic Polymorphisms	27
Matches*	
Comments	

**Note: The STR profile of the following sample is an exact match for the given sample/samples.*



Short Tandem Repeat

Form SOP-89.01

Version 3.0

Requestor: Aine Russell, Boston University

Samples Received: 03Mar21

STR Amplification Date: 04Mar21

Results: The genotypic profiles comprise a range of 26-28 allelic polymorphisms across the 15 STR loci analyzed.

Interpretation: The concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. These results suggests that the cells submitted correspond to the cell lines as named and were not contaminated with any other human cells or a significant amount of mouse feeder layer cells.

Sensitivity: Sensitivity limits for detection of STR polymorphisms unique to either this or other human cell lines is ~2-5%.

X

Tech #1
Characterization

X

Tech #2
Characterization

X

QA Review
Quality Assurance

Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.

Raw data is available upon request.